













REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

| Part # | English | Deutsch | Français | Italiano |
|-----------|---|---|--|---|
| DYN2267 | Servo Tape, Black; 1 1/2" | Servo-Band, Schwarz 38mm | Adhésif servo, noir, 38mm | Nastro per servo, nero; 1 1/2" |
| LOS235009 | Flat Head Screws M2.5 x 8mm (10) | Flachkopfschrauben M2,5 x 8mm (10) | Vis à tête plate M2.5 x 8mm (10) | Viti a testa piatta, M2.5 x 8mm (10) |
| LOS235011 | Set Screws M3 x 3mm Cup Point (10) | Stellschrauben M3 x 3mm Ringschneide (10) | Vis de fixation M3 x 3mm Bout cuvette (10) | Grani, M3 x 3mm, punta tonda (10) |
| LOSA6943 | 10 x 15mm Sealed Ball Bearing (2): 22 | 10 X 15mm Kugellager gekapselt (2): 22 | 22 - Roulements étanches 10 x15mm (2) | 10 x 15mm Cuscinetti stagni (2): 22 |
| LOSA6945 | 8x14x4 Rubber Sealed Ball Bearing (4) | 8 x 14 x 4mm gummiuersiegeltes Kugellager (4) | Roulement à billes hermétique en caoutchouc 8 x 14 x 4mm (4) | Cuscinetti a sfera sigillati in gomma 8 x 14 x 4mm (4) |
| LOSA6955 | 5 x 13mm HD Clutch Bearings (2): 8B/8T | 5 x 13mm HD Kupplungslager (2):8B/8T | 8B/8T - Roulements renforcés 5 x 13mm | 5 x 13mm HD Cuscinetti frizione (2): 8B/8T |
| TLR230002 | 6.5" Medium Downforce Wing, Precut (2) | 6.5 Medium Downforce Flüge vorgeschritten (2) | Aileron appui moyen, prédécoupé (2) | 6.5" alettone deportanza media, pretagliato (2) |
| TLR230003 | Hook and Loop Body Mounting, 10 x 20mm: (8) | Klettband 10 x20mm (8) | Bandes auto-agrippantes pour fixation de carrosserie, 10x20mm (8) | Attacco a strappo per montaggio carrozzeria, 10 x 20mm: (8) |
| TLR230016 | Lightweight Body & Wing, Clear: 22X-4 | Gehäuse & Tragfläche leicht, transparent: 22X-4 | Carrosserie et aile légères, transparentes : 22X-4 | Scocca e ala leggere, trasparenti: 22X-4 |
| TLR230018 | Front Scoop, Clear: 22X-4 | Frontschaufel, Transparent: 22X-4 | Prise avant, transparente : 22X-4 | Alettone anteriore, trasparente: 22X-4 |
| TLR231078 | Steering Hardware Set: 22 5.0 | Hardwaresatz Lenkung: 22 5.0 | Ensemble de matériel de direction : 22 5.0 | Set bulloneria sterzo: 22 5.0 |
| TLR231084 | Mud Guard Set, Soft/SFT: 22X-4 | Schmutzfänger-Satz, weich/SFT: 22X-4 | Ensemble garde-boue, doux/SFT : 22X-4 | Kit parafanghi, morbidi/SFT: 22X-4 |
| TLR231086 | Chassis, 2.5mm: 22X-4 | Karosserie, 2,5mm: 22X-4 | Châssis, 2,5 mm : 22X-4 | Telaio, 2,5 mm: 22X-4 |
| TLR231087 | Chassis Brace Set: 22X-4 | Chassishalter Set: 22X-4 | 22X-4 - Renforts de châssis | Set trapezio: 22X-4 |
| TLR231089 | Composite Steering Set: 22X-4 | Verbundstoff-Lenkungssatz: 22X-4 | Ensemble de direction composite : 22X-4 | Kit sterzo in composito: 22X-4 |
| TLR231091 | Body, Antenna, Wire, Fan Mount Set: 22X-4 | Karosserie, Antenne, Draht, Lüfterhalterungssatz: 22X-4 | Ensemble carrosserie, antenne, câble, support de ventilateur : 22X-4 | Kit carrozzeria, antenna, filo, supporto ventola: 22X-4 |
| TLR231093 | Front Bumper (2): 22X-4 | Stoßfänger vorne (2): 22X-4 | 22x-4: Pare-choc avant (2) | Paraurti anteriore (2): 22X-4 |
| TLR231094 | Wing Mount & Washers: 22X-4 | Flügelhalterung und Unterlegscheiben: 22X-4 | Support d'aile et rondelles : 22X-4 | Supporto e rondelle alettone: 22X-4 |
| TLR231096 | Carbon Spindle Arm Set, #1: 22X-4 | Kohlefaser-Spindelarmsatz Nr. 1: 22X-4 | Ensemble de bras d'axe en carbone, n° 1 : 22X-4 | Kit bracci del fuso in carbonio, #1: 22X-4 |
| TLR231098 | Steering Posts (2): 22X-4 | Lenksäule (2): 22X-4 | Colonne de direction (2) : 22X-4 | Supporto sterzo (2): 22X-4 |
| TLR231101 | Center Diff Fan Mount: 22X-4 | Lüfterhalterung mittleres Differenzial: 22X-4 | Fixation du ventilateur de différentiel central : 22X-4 | Supporto ventola differenziale centrale: 22X-4 |
| TLR231102 | Carbon Tab Battery Mounts: 22X-4 | Carbon-Führung Akkuhalterungen: 22X-4 | Fixations de la batterie à languettes en carbone 22X-4 | Supporti batteria linguette in carbonio: 22X-4 |
| TLR231103 | Carbon Bell Crank Plt V2: 22X-4 | Carbon-Umlenkhebelplatte V2: 22X-4 | Plaque de levier coudé en carbone V2 : 22X-4 | Piastra biella a campana in carbonio V2: 22X-4 |
| TLR231104 | Carbon Chassis Brc 1.5&3.5 22X-4 | Carbon-Karosseriestrebe 1.5 & 3.5 22X-4 | Support de châssis en carbone 1.5&3.5 22X-4 | Rinforzo telaio in carbonio 1.5&3.5 22X-4 |
| TLR232002 | Solid Drive Pin Set (8): 22/T/SCT | Antriebspin Set (8): 22/T/SCT | 22/T/SCT - Jeu de goupilles d'entraînement pleines (8) | Set perni trasmissione (8): 22/T/SCT |
| TLR232102 | CVA Driveshaft Bones, 67mm (2): 22X | CVA-Antriebsknochen, 67 mm: 22X | Os de l'arbre de transmission (67 mm) : 22X | Dogbone albero di trasmissione CVA, 67 mm: 22X |
| TLR232103 | CVA Driveshaft Bones, X68mm (2): 22X | CVA-Antriebsknochen, X68 mm: 22X | Os de l'arbre de transmission (X68 mm) : 22X | Dogbone albero di trasmissione CVA, X68 mm: 22X |

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

| Part # | English | Deutsch | Français | Italiano |
|-----------|---|--|--|--|
| TLR232104 | CVA Driveshaft Bones, 74mm (2): 22X | CVA-Antriebsknochen, 74 mm: 22X | Os de l'arbre de transmission (74 mm) : 22X | Dogbone albero di trasmissione CVA, 74 mm: 22X |
| TLR232105 | CVA Driveshaft Bones, 68mm/93mm: 22X | CVA-Antriebsknochen, 68 mm/93 mm: 22X | Os de l'arbre de transmission (68 mm/93 mm) : 22X | Dogbone albero di trasmissione CVA, 68 mm/93 mm: 22X |
| TLR232107 | Front CVA Axle (2): 22X-4 | CVA-Vorderachse (2): 22X-4 | Axe CVA avant (2) : 22X-4 | Assale CVA anteriore (2): 22X-4 |
| TLR232108 | Rear CVA Axle (2): 22X-4 | CVA-Hinterachse (2): 22X-4 | Axe CVA arrière (2) : 22X-4 | Assale CVA posteriore (2): 22X-4 |
| TLR232109 | Pinion CVA Axle (2): 22X-4 | Ritzel CVA-Achse (2): 22X-4 | Axe CVA du pignon (2) : 22X-4 | Assale CVA pignone (2): 22X-4 |
| TLR232110 | Pinion Mounting Hardware (4): 22X-4 | Ritzelhalterungshardware (4): 22X-4 | Équipement de montage du pignon (4) : 22X-4 | Bulloneria montaggio pignone (4): 22X-4 |
| TLR232111 | Wheel Hex, 12mm x 4.0mm (2) | Sechskant, 12 mm x 4,0 mm (2) | Hexagones de roues, 12 mm x 4,0 mm (2) | Esagoni ruote, 12 mm x 4,0 mm (2) |
| TLR232113 | Wheel Hex, 12mm x 5.0mm (2) | Sechskant, 12 mm x 5,0 mm (2) | Hexagones de roues, 12 mm x 5,0 mm (2) | Esagoni ruote, 12 mm x 5,0 mm (2) |
| TLR232118 | 78T Spur Gear, Center Diff: 22X-4 | Stirnrad 78T, mittleres Differential: 22X-4 | Engrenage cylindrique 78T, Différentiel central : 22X-4 | Corona 78T, diff. centrale: 22X-4 |
| TLR232119 | 81T Spur Gear, Center Diff: 22X-4 | Stirnrad 81T, mittleres Differential: 22X-4 | Engrenage cylindrique 81T, Différentiel central : 22X-4 | Corona 81T, diff. centrale: 22X-4 |
| TLR232123 | Motor Mount and Adapter: 22X-4 | Motorhalter mit Adapter | Support moteur avec adaptateur | Supporto motore con adattatore |
| TLR232124 | Center Bulkhead: 22X-4 | Mittige Spritzwand: 22X-4 | Cloison centrale : 22X-4 | Paratia centrale: 22X-4 |
| TLR232125 | Carbon Center Bulkhead Brace: 22X-4 | Mittige Kohlefaser-Spritzwandstrebe: 22X-4 | Support de cloison centrale en carbone : 22X-4 | Rinforzo paratia centrale in carbonio: 22X-4 |
| TLR232126 | Pinion Gear, Steel: 22X-4 | Zahnradgetriebe, Stahl: 22X-4 | Engrenage à pignons, acier : 22X-4 | Pignone, acciaio: 22X-4 |
| TLR232127 | Ring Gear, Metal: 22X-4 | Zahnradgetriebe, Metall: 22X-4 | Engrenage à anneaux, métal : 22X-4 | Corona dentata, metallo: 22X-4 |
| TLR232128 | Diff Housing (2): 22X-4 | Differentialgehäuse (2): 22X-4 | Boîtier de différentiel (2): 22X-4 | Alloggiamento differenziale (2): 22X-4 |
| TLR232129 | Diff Gear & Cross Pin Set, Metal: 22X-4 | Differentialgetriebe und Querstiftesatz, Metall: 22X-4 | Engrenage différentiel et ensemble de tige transversale, métal : 22X-4 | Ingr. diff. e perno a croce, metallo: 22X-4 |
| TLR232130 | Diff Seal & Hardware Set: 22X-4 | Differentialgetriebedichtung und Hardwaresatz: 22X-4 | Ensemble de joints et matériel pour différentiel : 22X-4 | Kit bulloneria e guarnizioni diff.: 22X-4 |
| TLR232131 | Outdrive Set (2): 22X-4 | Antriebsklauen Set (2): 22X-4 | Noix de sortie de diff (2): 22X-4 | Set trascinatore (2): 22X-4 |
| TLR232132 | CVA Sleeve, Composite (8): 22X | CVA-Hülse, Verbundstoff (8): 22X | Manchon CVA, composite (8) : 22X | Manicotto CVA, composito (8): 22X |
| TLR232133 | Front Gear Box Set: 22X-4 | Vordere Getriebebox: 22X-4 | Boîte à engrenage avant : 22X-4 | Riduttore anteriore: 22X-4 |
| TLR232134 | Rear Gear Box Set: 22X-4 | Hintere Getriebebox: 22X-4 | Boîte à engrenage arrière : 22X-4 | Riduttore posteriore: 22X-4 |
| TLR232135 | Center Diff Cover: 22X-4 | Abdeckung mittleres Differential: 22X-4 | Cache de différentiel central : 22X-4 | Coperchio diff. centrale: 22X-4 |
| TLR233025 | Shock Body, 36.5mm, G3 (1) | Stoßdämpfergehäuse, 36,5 mm, G3 (1) | Corps antichoc, 36,5 mm, G3 (1) | Scocca ammortizzatore, 36,5 mm, G3 (1) |
| TLR233026 | Shock Shaft, 42mm, G3 (1) | Kolbenstange, 42 mm, G3 (1) | Bras d'amortisseur, 42 mm, G3 (1) | Albero ammortizzatore, 42 mm, G3 (1) |
| TLR233030 | Spring Cup Set, G3 (4ea) | Federteller-Satz, G3 (je 4) | Ensemble de coupelles de ressorts, G3 (4ea) | Set coppetta a molle, G3 (4ea) |
| TLR233031 | Shock End Set, G3 (4ea) | Stoßdämpferendstück, Satz, G3 (je 4) | Ensemble d'extrémités d'amortisseurs, G3 (4ea) | Set estremità ammortizzatore, G3 (4ea) |

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

| Part # | English | Deutsch | Français | Italiano |
|-----------|---|--|--|--|
| TLR233032 | Threaded Spring Collar, G3 (2) | Federteller mit Gewinde, G3 (2) | Collier à ressort fileté, G3 (2) | Collare molla filettata, G3 (2) |
| TLR233043 | Shock Hardware, G3 (4) | Stoßdämpfer-Hardware, G3 (4) | Matériel d'amortisseur, G3 (4) | Bulloneria ammortizzatore, G3 (4) |
| TLR233053 | Yellow Front Springs, Low Frequency, 12mm (2) | Gelbe Frontfedern, Niedrige Frequenz, 12 mm (2) | Ressorts avant jaunes, basse fréquence, 12 mm (2) | Molle anteriori giallo, bassa frequenza, 12 mm (2) |
| TLR233058 | Pink Rear Springs, Low Frequency, 12mm (2) | Pinkfarbene Heckfedern, Niedrige Frequenz, 12 mm (2) | Ressorts arrière roses, basse fréquence, 12 mm (2) | Molle posteriori rosa, bassa frequenza, 12 mm (2) |
| TLR233060 | Seal Set, X-Rings, G3 V2 (4 shocks) | Dichtungssatz, X-Ringe, G3 V2 (4 Stoßdämpfer) | Ensemble de joints, toriques, G3 V2 (4 amortisseurs) | Set tenute, anelli a X, G3 V2 (4 ammortizzatori) |
| TLR233061 | Shock Seal Bushings, Machined, G3 V2 (4) | Gefräste Stoßdämpferbuchsen, G3 V2 (4) | Bagues de joints d'amortisseurs, usinées, G3 V2 (4) | Boccole tenuta ammortizzatore, lavorate, G3 V2 (4) |
| TLR233062 | Shock Travel Spacer Set: 22 | Stoßdämpferhub-Distanzstücksatz: 22 | Ensemble d'entretoise d'amortisseur de course : 22 | Kit distanziali corsa ammortizzatori: 22 |
| TLR234107 | HD Ball Cup Set: All 22 | HD-Kugelschale, Satz: Alle 22 | Ensemble de cuvettes de roulement à billes ultra-résistant : Tout 22 | Set coppa a sfera HD: Tutte le 22 |
| TLR234112 | Front Arm Set: 22X-4 | Querlenker vorne Set: 22X-4 | 22X-4 - Triangles avant | Set bracci anteriori: 22X-4 |
| TLR234113 | Rear Arm Set: 22X-4 | Querlenker hinten Set: 22X-4 | 22X-4 - Triangles arrière | Set bracci posteriori: 22X-4 |
| TLR234116 | Front Spindle Set: 22X-4 | Achsschenkelset vorne: 22X-4 | 22X-4 - Set de fusées avant | Set fuso anteriore: 22X-4 |
| TLR234117 | Spindle Bushing Set, Aluminum (8): 22X-4 | Spindelwellensatz, Aluminium (8): 22X-4 | Ensemble de bague d'arbre, aluminium (8) : 22X-4 | Kit boccole fusello, alluminio (8): 22X-4 |
| TLR234119 | Caster Block Set, 9 deg, Aluminum: 22X-4 | C.Hub 9° Alu: 2X-4 | 22X-4 - Set d'étriers porte fusées 9° en aluminium | Set blocco castor, 9 gradi, alluminio: 22X-4 |
| TLR234121 | VHA Hub Body, Composite (2): 22X-4 | VHA Nabenkörper, Verbundstoff (2): 22X-4 | Corps de moyeu VHA, composite (2) : 22X-4 | Corpo mozzo VHA, composito (2): 22X-4 |
| TLR234124 | Hinge Pin Set, Polished: 22X-4 | Scharnierstiftsatz, poliert: 22X-4 | Ensemble de goupilles de charnière, poli : 22X-4 | Kit perno di articolazione, lucido: 22X-4 |
| TLR234125 | Sway Bar Set, 1.0/1.2/1.4mm (3): 22X-4 | Schwingen-Set, 1.0/1.2/1.4mm (3): 22X-4 | Ensemble de barre stabilisatrice, 1.0/1.2/1.4mm (3): 22X-4 | Set barra oscillante, 1.0/1.2/1.4mm (3): 22X-4 |
| TLR234127 | Sway Bar Mount Set (2): 22X-4 | Schwingen-Halterungssatz (2): 22X-4 | Ensemble de support de barres stabilisatrices (2) : 22X-4 | Kit supporto barra di torsione (2): 22X-4 |
| TLR234128 | A Pivot Block, Aluminum: 22X-4 | A-Zapfenlager, Aluminium: 22X-4 | Bloc pivot A, aluminium : 22X-4 | Blocco pivotante A, alluminio: 22X-4 |
| TLR234129 | B Pivot Block, Aluminum: 22X-4 | B-Zapfenlager, Aluminium: 22X-4 | Bloc pivot B, aluminium : 22X-4 | Blocco pivotante B, alluminio: 22X-4 |
| TLR234130 | C Pivot Block, Aluminum: 22X-4 | C-Zapfenlager, Aluminium: 22X-4 | Bloc pivot C, aluminium : 22X-4 | Blocco pivotante C, alluminio: 22X-4 |
| TLR234131 | D Pivot Block, Aluminum: 22X-4 | D-Zapfenlager, Aluminium: 22X-4 | Bloc pivot D, aluminium : 22X-4 | Blocco pivotante D, alluminio: 22X-4 |
| TLR234132 | Insert Set, Adjust Pivot, V2: 22X-4 | Einsatz-Set, anpassbarer Drehpunkt, V2: 22X-4 | Ensemble d'inserts, pivot de réglage V2 : 22X-4 | Set inserti, perno regolazione, V2: 22X-4 |
| TLR234133 | Carbon FR Shock Tower, V2: 22X-4 | Vordere Carbon-Stoßdämpferbrücke, V2: 22X-4 | Tour d'amortisseur avant en carbone, V2 : 22X-4 | Torre amm in carbonio, ant, V2: 22X-4 |
| TLR234134 | Carbon RR Shock Tower, V2: 22X-4 | Hintere Carbon-Stoßdämpferbrücke, V2: 22X-4 | Tour d'amortisseur arrière en carbone, V2 : 22X-4 | Torre amm in carbonio, pst, V2: 22X-4 |
| TLR235003 | Flat Head Screws, M2.5 x 6mm (10) | Flachkopfschrauben, M2,5 x 6mm (10) | Vis FHC M2.5 x 6mm | Viti a testa piatta, M2.5 x 6mm (10) |
| TLR235007 | Flat Head Screws, M2.5 x 10mm (10) | Flachkopfschrauben, M2,5 x 10mm (10) | Vis à tête fraisée M2,5 x 10mm (10) | Viti a testa piatta M2,5 x 10mm (10) |
| TLR235008 | Flat Head Screws, M3 x 6mm (10) | Flachkopfschrauben, M3 x 6mm (10) | Vis à tête fraisée M3 x 6mm (10) | Viti a testa piatta M3 x 6mm (10) |

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

| Part # | English | Deutsch | Français | Italiano |
|-----------|--|---|---|--|
| TLR235010 | Screw, G3 Shock Cup (8) | Schraube, G3 Stoßdämpfer-Teller (8) | Vis, coupelle d'amortisseur G3 (8) | Vite, coppa ammortizzatore G3 (8) |
| TLR235012 | Set Screw, M3 x 20mm (8) | Schraubenset, M3 x 20mm (10) | Vis sans tête, M3 x 20mm (10) | Grano, M3 x 20mm (10) |
| TLR235015 | Button Head Screws, M3 x 4mm (10) | Rundkopfschraube, M3 x 4mm (10) | Vis à tête bombée M3 x 4mm (10) | Viti testa tonda, M3 x 4mm (10) |
| TLR236006 | 10 x 14mm Shims, 0.1 & 0.2mm (5ea.) | Distanzscheiben 10x14 mm, 0,1 und 0,2 mm (je 5) | Set de cales 10x14mm, 0.1 et 0.2mm (5 pce) | Spessori 10x14 mm, 0,1 e 0,2 mm (5 cad.) |
| TLR236013 | Axle Spacer Set, 5 x 1.3mm(2), 5 x 0.5mm (4) | Achsen-Abstandshalter, 5 x 1,3 mm (2), 5 x 0,5 mm (4) | Ensemble d'entretoise de l'axe, 5 x 1,3 mm (2), 5 x 0,5 mm (4) | Set distanziali assale, 5 x 1,3 mm (2), 5 x 0,5 mm (4) |
| TLR237000 | 5 x 8 x 2.5mm Bearings (2) | 5 x 8 x 2.5mm Lager (2) | Roulements 5 x 8 x 2.5mm (2) | 5 x 8 x 2.5mm cuscinetti (2) |
| TLR331037 | Carbon Wing Washer (2): 22 5.0 | Tragflächen-Unterlegscheibe, Karbon (2): 22 5.0 | Rondelle d'aile en carbone (2) : 22 5.0 | Rondella ala carbonio (2): 22 5.0 |
| TLR331048 | Carbon Electronics Mounting Plate: 22X-4 | Elektronik-Halterungsplatte, Karbon: 22X-4 | Plaque de montage électronique en carbone : 22X-4 | Piastra di montaggio elettronica carbonio: 22X-4 |
| TLR331052 | Drag Link, Aluminum: 22X-4 | Lenkwischenstange, Aluminium: 22X-4 | Barre d'accouplement, aluminium : 22X-4 | Tirante longitudinale, alluminio: 22X-4 |
| TLR331057 | Carbon Fr Top Brc Med Flex:22X-4 | Vordere obere Carbon-Strebe, Med Flex: 22X-4 | Arbre moyen de support supérieur avant en carbone : 22X-4 | Rinf sup ant carbonio med flex:22X-4 |
| TLR332074 | VHA CVA Rebuild Set (2): 22 5.0 | VHA CVA Nachbausatz (2): 22 5.0 | Ensemble de reconstruction VHA CVA (2) : 22 5.0 | Set rigenerazione VHA CVA (2): 22 5.0 |
| TLR333011 | Shock Shaft, 42.7mm, TiCN, G3 (1) | Kolbenstange, 42,7 mm, TiCN, G3 (1) | Bras d'amortisseur, 42,7 mm, TiCN, G3 (1) | Albero ammortizzatore, 42,7 mm, TiCN, G3 (1) |
| TLR333012 | Shock Shaft, 48.7mm, TiCN, G3(1) | Kolbenstange, 48,7 mm, TiCN, G3 (1) | Bras d'amortisseur, 48,7 mm, TiCN, G3 (1) | Albero ammortizzatore, 48,7 mm, TiCN, G3 (1) |
| TLR333014 | Machined Shock Pistons, Thin, 2 x 1.6mm, G3 (2) | Gefräste Stoßdämpferkolben, dünn, 2 x 1,6 mm, G3 (2) | Pistons amortisseurs usinés, fins, 2 x 1,6 mm, G3 (2) | Pistoni amm. lavorati, sottili, 2 x 1,6 mm, G3 (2) |
| TLR333016 | Machined Shock Pistons, Thin, 2 x 1.7mm, G3 (2) | Gefräste Stoßdämpferkolben, dünn, 2 x 1,7 mm, G3 (2) | Pistons amortisseurs usinés, fins, 2 x 1,7 mm, G3 (2) | Pistoni amm. lavorati, sottili, 2 x 1,7 mm, G3 (2) |
| TLR333021 | Domed Bleeder Shock Caps, Aluminum, G3 (2): 22 | Gewölbte Stoßdämpfer-Entlüfterkappen, Aluminium, G3 (2): 22 | Capuchons d'amortisseurs avec purgeurs en dôme, aluminium, G3 (2) 22 | Tappi di sfiato a cupola per amm, alu, G3 (2): 22 |
| TLR334074 | VHA Camber Link Mount, Black: 22 5.0 | VHA Nabensatz, Verbundstoff: 22 5.0 | Ensemble de moyeux VHA, composite : 22 5.0 | Set mozzo VHA, composito: 22 5.0 |
| TLR334076 | VHA Hinge Pin Insert Set: 22 5.0 | VHA-Scharnierstifteinsatz-Satz: 22 5.0 | Ensemble d'inserts de goupilles de charnière VHA : 22 5.0 | Kit inserti perno di articolazione VHA: 22 5.0 |
| TLR334077 | HD Turnbuckle Kit, Titanium: 22X-4 | Gewindestangenset Titan: 22X-4 | 22X-4 - Set de biellettes en titane | HD set tenditori, titanio: 22X-4 |
| TLR336000 | 4mm Aluminum Serrated Lock Nuts, Black (6) | 4mm Aluminium Stopmutter mit Flanch Schwarz 6St. | Écrou auto-freiné épaulé M4, aluminium, noir (6) | Dado autobloccante seghettato 4mm, nero (6) |
| TLR336003 | M4 Aluminum Serrated Nuts, Low Profile, Black (4) | M4 Aluminiumschrauben geriffelt schwarz (4) | Écrou strié M4 taille basse en aluminium, noir (4) | Dadi dentellati allum. M4, basso profilo, nero (4) |
| TLR336004 | M3 Aluminum Lock Nuts, Black (10) | M3 Aluminium Stopmuttern Schwarz (10) | Écrou auto-freiné M3 en aluminium, noir (10) | Dadi autobloccanti allum. M3, neri (10) |
| TLR336005 | M3 Flanged Aluminum Lock Nuts, Black (10) | M3 Aluminium Stopmutter mit Bund Schwarz (10) | Écrou auto-freiné épaulé M3 en aluminium, noir (10) | Dadi autobloccanti allum. flangiati M3, neri (10) |
| TLR336007 | M3 Caster Block Alum Washer Set, Black (4ea) | M3 Radblock, Unterlegscheiben-Satz, Aluminium, schwarz (je 4) | Ensemble de rondelles en aluminium pour bloc de roulettes M3, noir (4ea) | Set rondella alluminio blocco ghisa M3, nero (4ea) |
| TLR336010 | Shock Standoff, Carbon Tower, Titanium (2): 22 5.0 | Stoßdämpfer-Standoff, Karbon-Brücke, Titan (2): 22 5.0 | Dispositif d'espacement d'amortisseur, tour en carbone, titane (2) : 22 5.0 | Distanziale ammortizzatore, torre in carbonio, titanio (2): 22 5.0 |
| TLR5086 | Shock Cap: Bottom (2): 22 | Stoßdämpferendkappe unten (2) | Bouchon inférieur d'amortisseur (2) | Tappo ammort.: inferiore (2) |
| TLR5092 | Upper Shock Bushing (4): 22 | Buchsen für Dämpfer: 22 (4) | 22 - Entretoise supérieure d'amortisseur (4) | Boccola superiore ammort. (4): 22 |

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

| Part # | English | Deutsch | Français | Italiano |
|----------|------------------------------------|--|--|---|
| TLR5280 | Silicone Diff Fluid, 5000CS | Differential-Silikonflüssigkeit, 5000CS | Liquide silicone pour différentiel, 5000CS | Olio al silicone per differenziale, 5000CS |
| TLR5281 | Silicone Diff Fluid, 7000CS | Silikon Diff Öl ,7.000CS | Graisse silicone pour différentiel, 7000CS | Fluido silicone diff, 7,000CS |
| TLR5901 | Button Head Screws, M3 x 6mm (10) | Rundkopfschraube, M3 x 6mm (10) | Vis à tête bombée M3 x 6mm (10) | Viti testa tonda, M3 x 6mm (10) |
| TLR5902 | Button Head Screws, M3 x 8mm (10) | Rundkopfschraube, M3 x 8mm (10) | Vis à tête bombée M3 x 8mm (10) | Viti testa tonda, M3 x 8mm (10) |
| TLR5903 | Button Head Screws, M3 x 10mm (10) | Rundkopfschraube, M3 x 10mm (10) | Vis à tête bombée M3 x 10mm (10) | Viti testa tonda, M3 x 10mm (10) |
| TLR5904 | Button Head Screws, M3 x 12mm (10) | Rundkopfschraube, M3 x 12mm (10) | Vis à tête bombée M3 x 12mm (10) | Viti testa tonda, M3 x 12mm (10) |
| TLR5909 | Button Head Screws, M3 x 16mm (10) | TLR Rundkopfschraube, M3 x 16mm (10) | Vis à tête bombée M3 x 16mm (10) | Viti testa tonda, M3 x 16mm (10) |
| TLR5910 | Button Head Screws, M3 x 14mm (10) | Rundkopfschrauben M3 x 14mm (10) | Vis à tête bombée M3x14mm (10) | Viti a testa tonda, M3 x 14mm (10) |
| TLR5961 | Flathead Screws, M3 x 8mm (10) | Flachkopfschrauben, M3 x 8mm (10) | Vis à tête fraisée M3 x 8mm (10) | Vite a testa piatta, M3 x 8mm (10) |
| TLR5962 | Flat Head Screw, M3 x 10mm (10) | Flachkopfschrauben, M3 x 10mm (10) | Vis à tête fraisée M3 x 10mm (10) | Vite a testa piatta, M3 x 10mm (10) |
| TLR5963 | Flathead Screw, M3 x 12mm (10) | Flachkopfschrauben, M3 x 12mm (10) | Vis à tête fraisée M3 x 12mm (10) | Vite a testa piatta, M3 x 12mm (10) |
| TLR6023 | BallStud, 4.8 x 10mm (4): 22 | Kugelkopf mit Gewinde 4.8 x 10mm (4) | Rotules à visser 4,8 x 10mm (4) | Perno sferico, 4.8 x 10mm (4) |
| TLR6024 | Ball Stud, 4.8 x 8mm (4): 22 | Kugelkopf mit Gewinde, 4.8 x: 8mm (4): 22 | 22 - Rotules à visser 4,8 x 8mm (4) | Perno sferico, 4.8 x 8mm (4): 22 |
| TLR6025 | Ball Stud, 4.8mm x 6mm (4): 22 | Kugelkopf mit Gewinde 4.8mm x 6mm (4) | Rotules à visser 4,8 x 6mm (4) | Perno sferico, 4.8 x 6mm (4) |
| TLR6312 | Locknut, M2.5 x .45 x 5mm (6) | Mutter selbstsichernd M2.5 x .45 x 5mm (6) | Ecrou M2,5 x 0,45 x 5mm (6) | Dado autobloccante, M2.5 x .45 x 5mm (6) |
| TLR6352 | Washers, M3 (10) | U-Scheibe, M3 (10) | Rondelles M3 (10) | Rodelle, M3 (10) |
| TLR6932 | 5x10x4mm HD Bearings (2) | Kugellager 5 x 10 x 4mm (2) | Roulements renforcés 5 x 10 x 4mm (2) | 5x10x4mm HD Cuscinetti (2) |
| TLR72003 | Shock Tools, Composite: All 22 | Stoßdämpferwerkzeuge, Komposit: Alle 22 | Outils pour amortis-seurs, composite : Tout 22 | Attrezzi ammortizzatori, composito: Tutte le 22 |
| TLR74010 | Silicone Shock Oil, 40 wt, 2 oz | Silikonstoßdämpferöl, 40wt, 2 oz | Huile silicone d'amortisseur, 40wt, 60 ml | Olio silicone ammortizzatori, 40wt, 2oz |
| TLR74011 | Silicone Shock Oil, 42.5wt, 2oz | Silikonstoßdämpferöl, 42.5wt, 2 oz | Huile silicone d'amortisseur, 42.5wt, 60 ml | Olio silicone ammortizzatori, 42.5wt, 2oz |
| TLR75009 | Silicone Diff Fluid, 500,000CS | Differential-Silikonflüssigkeit, 500,000CS | Liquide silicone pour différentiel, 500,000CS | Olio al silicone per differenziale, 500.000CS |
| TLR76009 | TLR Lok Threadlock Blue | TLR Lok, Schraubensicherung, blau | Verrou TLR, frein-filet, bleu | TLR Lok, frenafilet, blu |
| TLR77000 | High-Pressure Black Grease, 8cc | High-Pressure Fett Schwarz/8cc | Graisse noire haute pression, 8cc | Grasso nero alta pressione, 8cc |
| TLR8202 | Body Clips, Black (12): 22 | Karosseriekammern Schwarz (12) | Clips de carrosserie noirs (12) | Clips carrozzeria, neri (12) |

OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

| Part # | English | Deutsch | Français | Italiano |
|-----------|--|---|---|---|
| DYN2267 | Servo Tape, Black; 1 1/2" | Servo-Band, Schwarz 38mm | Adhésif servo, noir, 38mm | Nastro per servo, nero; 1 1/2" |
| DYN2516 | Straight Body Scissors | Gerade Karosserie-Schere | Ciseaux de corps droits | Forbici dritte per scocca |
| DYN5500 | Magnum Force 2 Motor Spray, 13 oz | Magnum Force 2 Motorspray, 368 g | Vaporisateur pour moteur Magnum Force 2, 13 onces | Spray per motore Magnum Force 2, 385 ml (13 oz) |
| DYNF1055 | Infrared Temp Gun/Thermometer with Laser Sight | Infrarotmesspistole/Thermometer mit Laservisier | Détecteur infrarouge de température/ Thermomètre avec visée laser | Pistola termometro IR con puntatore laser |
| DYNT1260 | Shock Shaft Pliers/Multi-Tool | Kolbenstangenzange/ Multifunktionswerkzeug | Pinces de bras d'amortisseurs/Outil multifonctions | Pinze multiutensili per albero ammortizzatore |
| DYNT2010 | Machined Nut Driver Set 4pc.MET | Steckschlüsselset CNC gefräst 4Stk. metrisch | Clés à écrous usinées 4 pièces, métrique | Set cacciaviti dadi lavorati, metrico (4) |
| DYNT2030 | Machined Hex Driver Set (4) Met | Inbusschlüsselset (4) Metrisch | Clés BTR usinées 4 pièces, métrique | Set cacciaviti a brugola lavorati, metrico (4) |
| DYNT2112 | Suspension Arm Reamer 3.5mm | Querlenker-Reibahle 3,5 mm | Alésoir de bras de suspension, 3,5 mm | Alesatore braccetto sospensione 3,5 mm |
| SPM9067 | 6245 Mount, Black: 22X-4, B74 | 6245 Halterung, schwarz: 22X-4, B74 | Fixation 6245, noire : 22X-4, B74 | 6245 supporto, nero: 22X-4, B74 |
| TLR230017 | Ultra Lightweight Body & Wing, Clear: 22X-4 | Gehäuse & Tragfläche ultraleicht, transparent: 22X-4 | Carrosserie et aile ultra-légères, transparentes : 22X-4 | Scocca ultraleggera e ala, trasparenti: 22X-4 |
| TLR230019 | 6.5" LW Rear Wing Clr Precut | 6,5" LW Heckflügel, farblos, vorgeschritten | Prédécoupage d'aile transparente arrière LW, 6,5 po | Ala posteriore 6.5" trasparente pretagliata |
| TLR231085 | Mud Guard Set, Stiffezel/SZL: 22X-4 | Kortflügel. 22X-4 | 22X-4 - Bavettes, Stiffezel | Set parafanghi: 22X-4 |
| TLR231088 | Carbon Chassis Brace Support Set: 22X-4 | Kohlefaser-Karosseriestrebensatz: 22X-4 | Ensemble de support de châssis en carbone : 22X-4 | Kit montanti di supporto in carbonio: 22X-4 |
| TLR231100 | V2 Steering and Steering Carbon Brace | V2 Lenkung und Lenkung-Carbon-Strebe | Support en carbone de direction et direction V2 | Sterzo e rinforzo sterzo in carbonio V2 |
| TLR232106 | CVA Driveshaft Bones, 61mm/100mm: 22X | CVA-Antriebsknochen, 61 mm (2): 22X | Os de l'arbre de transmission 61 mm (2): 22X | Dogbone albero di trasmissione CVA, 61 mm (2): 22X |
| TLR232112 | Wheel Hex, 12mm x 4.5mm (2) | Sechskantrad, 12 mm x 4,5 mm (2) | Hexagones de roues, 12 mm x 4,5 mm (2) | Esagoni ruote, 12 mm x 4,5 mm (2) |
| TLR232114 | Wheel Hex, 12mm x 5.5mm (2) | Sechskantrad, 12 mm x 5,5 mm (2) | Hexagones de roues, 12 mm x 5,5 mm (2) | Esagoni ruote, 12 mm x 5,5 mm (2) |
| TLR232115 | Wheel Hex, 12mm x 6.0mm (2) | Sechskantrad, 12 mm x 6,0 mm (2) | Hexagones de roues, 12 mm x 6,0 mm (2) | Esagoni ruote, 12 mm x 6,0 mm (2) |
| TLR232137 | Slipper Assembly, Complete: 22X-4 | Gleiterbaugruppe, komplett: 22X-4 | Ensemble de sabot, complet : 22X-4 | Gruppo antisaltellamento completo: 22X-4 |
| TLR233051 | Purple Front Springs, Low Frequency, 12mm (2) | Violette Frontfedern, Niedrige Frequenz, 12 mm (2) | Ressorts avant violets, basse fréquence, 12 mm (2) | Molle anteriori viola, bassa frequenza, 12 mm (2) |
| TLR233052 | Sky Blue Fr Springs, LF 12mm (2) | Himmelblaue Frontfedern, Niedrige Frequenz, 12 mm (2) | Ressorts avant bleu ciel, basse fréquence, 12 mm (2) | Molle anteriori azzurro, bassa frequenza, 12 mm (2) |
| TLR233054 | Gold Front Springs, Low Frequency, 12mm (2) | Goldfarbene Frontfedern, Niedrige Frequenz, 12 mm (2) | Ressorts avant dorés, basse fréquence, 12 mm (2) | Molle anteriori oro, bassa frequenza, 12 mm (2) |
| TLR233056 | White Rear Springs, Low Frequency, 12mm (2) | Weiße Heckfedern, Niedrige Frequenz, 12 mm (2) | Ressorts arrière blancs, basse fréquence, 12 mm (2) | Molle posteriori bianco, bassa frequenza, 12 mm (2) |
| TLR233057 | Yellow Rear Springs, Low Frequency, 12mm (2) | Gelbe Heckfedern, Niedrige Frequenz, 12 mm (2) | Ressorts arrière jaunes, basse fréquence, 12 mm (2) | Molle posteriori giallo, bassa frequenza, 12 mm (2) |
| TLR233059 | Red Rear Springs, Low Frequency, 12mm (2) | Rote Heckfedern, Niedrige Frequenz, 12 mm (2) | Ressorts arrière rouges, basse fréquence, 12 mm (2) | Molle posteriori rosso, bassa frequenza, 12 mm (2) |
| TLR233063 | 36.5mm Shock Set, G3, 3mm, TiCN (2) | 36,5 mm Stoßdämpfersatz, G3, 3 mm, TiCN (2) | Ensemble d'amortisseurs 36,5mm, G3, 3 mm, TiCN (2) | Set amm 36,5 mm, G3, 3 mm, TiCN (2) |
| TLR233064 | 42mm Shock Set, G3, 3mm, TiCN (2) | 42 mm Stoßdämpfersatz, G3, 3 mm, TiCN (2) | Ensemble d'amortisseurs 42 mm, G3, 3 mm, TiCN (2) | Set amm 42 mm, G3, 3 mm, TiCN (2) |

OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

| Part # | English | Deutsch | Français | Italiano |
|-----------|--|---|--|---|
| TLR234114 | Front Arm Set, Stiffezel: 22X-4 | Vorderarmsatz, Stiffezel: 22X-4 | Bras avant, Stiffezel : 22X-4 | Set braccio anteriore Stiffezel: 22X-4 |
| TLR234115 | Rear Arm Set, Stiffezel: 22X-4 | Rück-Arm Set, Stiffezel: 22X-4 | 22X-4 - Triangle arrière, Stiffezel | Set braccio posteriore Stiffezel: 22X-4 |
| TLR234117 | Spindle Bushing Set, Aluminum (8): 22X-4 | Spindelwellensatz, Aluminium (8): 22X-4 | Ensemble de bague d'arbre, aluminium (8) : 22X-4 | Kit boccole fusello, alluminio (8): 22X-4 |
| TLR234118 | Caster Block Set, 6 deg, Aluminum: 22X-4 | Radblockset, 6 Grad, Aluminium: 22X-4 | Ensemble de bloc de rondelles, 6 deg, aluminium : 22X-4 | Kit caster block, 6°, alluminio: 22X-4 |
| TLR234120 | Caster Block Set, 12 deg, Aluminum: 22X-4 | Radblockset, 12 Grad, Aluminium: 22X-4 | Ensemble de bloc de rondelles, 12 deg, aluminium : 22X-4 | Kit caster block, 12°, alluminio: 22X-4 |
| TLR234126 | Sway Bar Set, 1.6/1.8/2.0mm (3): 22X-4 | Schwingen-Set, 1.6/1.8/2.0 mm (3): 22X-4 | Ensemble de barre stabilisatrice, 1.6/1.8/2.0 mm (3): 22X-4 | Set barra oscillante, 1.6/1.8/2.0 mm (3): 22X-4 |
| TLR331049 | Carbon Front Steering/Gearbox Brace: 22X-4 | Kohlefaser-Frontsteuerung/Getriebestrebe: 22X-4 | Direction avant, carbone/Support de boîte d'engrenage : 22X-4 | Rinforzo scatola ingranaggi/sterzo anteriore in carbonio: 22X-4 |
| TLR331050 | Clamping Servo Horn, Aluminum, 23T: 22X-4 | Klemm-Servohorn, Aluminium, 23T: 22X-4 | Renvoi de commande du servo de serrage, aluminium, 23T : 22X-4 | Squadretta servo di bloccaggio, alluminio, 23T: 22X-4 |
| TLR331051 | Clamping Servo Horn, Aluminum, 25T: 22X-4 | Klemm-Servohorn, Aluminium, 25T: 22X-4 | Renvoi de commande du servo de serrage, aluminium, 25T : 22X-4 | Squadretta servo di bloccaggio, alluminio, 25T: 22X-4 |
| TLR331055 | 22X-4 Chassis Protective Tape Printed Precut | 22X-4 Karosserie-Schutzband, bedruckt, vorgeschritten | Prédécoupage de ruban adhésif de protection de châssis 22X-4 | Nstr protettivo telaio stamp pretagli 22X-4 |
| TLR331056 | Carbon Fiber Chassis, 2.5mm: 22X-4 | Carbonfaser-Karosserie, 2,5 mm: 22X-4 | Châssis en fibre de carbone, 2,5 mm : 22X-4 | Telaio in fibra di carbonio 2,5 mm: 22X-4 |
| TLR331059 | Carbon Fiber Chassis, 2.5mm | Carbonfaser-Karosserie, 2,5 mm | Châssis en fibre de carbone, 2,5 mm | Telaio in fibra di carbonio 2,5 mm: |
| TLR331061 | Carbon Wing Riser, 4mm: 22 5.0 | Carbon-Dachspoiler, 4 mm: 22 5.0 | Support d'aile en carbone, 4 mm : 22 5.0 | Rialzo alettone, carbonio, 4 mm: 22 5.0 |
| TLR332016 | Pinion Gear 16T, 48P, AL | Ritzel 16 Zähne 48P | Pignons 16 dents, 48DP, aluminium | Pignone 16T, 48P, AL |
| TLR332017 | Pinion Gear 17T, 48P, AL | Ritzel 17 Zähne 48P | Pignons 17 dents, 48DP, aluminium | Pignone 17T, 48P, AL |
| TLR332018 | Pinion Gear 18T, 48P, AL | Ritzel 18 Zähne 48P | Pignons 18 dents, 48DP, aluminium | Pignone 18T, 48P, AL |
| TLR332019 | Pinion Gear 19T, 48P, AL | Ritzel 19 Zähne 48P | Pignons 19 dents, 48DP, aluminium | Pignone 19T, 48P, AL |
| TLR332020 | Pinion Gear 20T, 48P, AL | Ritzel 20 Zähne 48P | Pignons 20 dents, 48DP, aluminium | Pignone 20T, 48P, AL |
| TLR332021 | Pinion Gear 21T, 48P, AL | Ritzel 21 Zähne 48P | Pignons 21 dents, 48DP, aluminium | Pignone 21T, 48P, AL |
| TLR332022 | Pinion Gear 22T, 48P, AL | Ritzel 22 Zähne 48P | Pignons 22 dents, 48DP, aluminium | Pignone 22T, 48P, AL |
| TLR332023 | Pinion Gear 23T, 48P, AL | Ritzel 23 Zähne 48P | Pignons 23 dents, 48DP, aluminium | Pignone 23T, 48P, AL |
| TLR332024 | Pinion Gear 24T, 48P, AL | Ritzel 24 Zähne 48P | Pignons 24 dents, 48DP, aluminium | Pignone 24T, 48P, AL |
| TLR332025 | Pinion Gear 25T, 48P, AL | Ritzel 25 Zähne 48P | Pignons 25 dents, 48DP, aluminium | Pignone 25T, 48P, AL |
| TLR332026 | Pinion Gear 26T, 48P, AL | 22 3.0 Ritzel 26 Zähne 48P | Pignons 26 dents, 48DP, aluminium | Pignone 26T, 48P, AL |
| TLR332027 | Pinion Gear 27T, 48P, AL | 22 3.0 Ritzel 27 Zähne 48P | Pignons 27 dents, 48DP, aluminium | Pignone 27T, 48P, AL |
| TLR332078 | CVA Sleeve, Aluminum (2): 22X-4 | CVA-Hülse, Aluminium (2): 22X-4 | Manchon CVA, aluminium (2) : 22X-4 | Manicotto CVA, alluminio (2): 22X-4 |
| TLR332079 | Center Bulkhead, Aluminum: 22X-4 | Mittige Spritzwand, Aluminium: 22X-4 | Cloison centrale, aluminium : 22X-4 | Paratia centrale, alluminio: 22X-4 |

OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

| Part # | English | Deutsch | Français | Italiano |
|-----------|--|---|---|--|
| TLR332080 | Center Diff Cover, Aluminum: 22X-4 | Abdeckung mittleres Differential, Aluminium: 22X-4 | Cache de différentiel central, aluminium : 22X-4 | Coperchio diff. centrale, alluminio: 22X-4 |
| TLR332081 | LCD Drive Set (2): 22X-4 | LCD-Antriebssatz (2): 22X-4 | Ensemble de transmission LCD (2) : 22X-4 | Kit trascinamento LCD (2): 22X-4 |
| TLR332083 | Ring and Pinion Set, Composite: 22X-4 | Ring- und Ritzelsatz, Verbundstoff: 22X-4 | Ensemble d'anneaux et de pignons, composite : 22X-4 | Kit pignone e corona, composito: 22X-4 |
| TLR332084 | Internal Diff Gear Set, Composite: 22X-4 | Interner Differentialgetriebesatz, Verbundstoff: 22X-4 | Ensemble d'engrenage de différentiel interne, composite : 22X-4 | Kit ingr. diff. interno, composito: 22X-4 |
| TLR332085 | Center Diff Complete, Metal: 22X-4 | Mittiges Differential vollständig, Metall: 22X-4 | Différentiel central complet, métal : 22X-4 | Diff. centrale completo, metallo: 22X-4 |
| TLR332086 | Front/Rear Diff Complete, Metal: 22X-4 | Vorderes/Hinteres Differential vollständig, Metall: 22X-4 | Différentiel complet avant/arrière, métal : 22X-4 | Diff. anteriore/posteriore completo, metallo: 22X-4 |
| TLR333013 | Machined Shock Pistons, Thin, 2 x 1.5mm, G3 (2) | Gefräste Stoßdämpferkolben, dünn, 2 x 1,5 mm, G3 (2) | Pistons amortisseurs usinés, fins, 2 x 1,5 mm, G3 (2) | Pistoni amm. lavorati, sottili, 2 x 1,5 mm, G3 (2) |
| TLR333015 | Machined Shock Pistons, Thin, 1.6/1.7 Split G3 (2) | Gefräste Stoßdämpferkolben, dünn, 1,6/1,7 Split G3 (2) | Pistons amortisseurs usinés, fins, 1.6-1.7 partagés, G3 (2) | Pistoni amm. lavorati, sottili, 1,6/1,7 divisi, G3 (2) |
| TLR333017 | Machined Shock Pistons, Thin, 2 x 1.8mm, G3 (2) | Gefräste Stoßdämpferkolben, dünn, 2 x 1,7 mm, G3 (2) | Pistons amortisseurs usinés, fins, 2 x 1,8 mm, G3 (2) | Pistoni amm. lavorati, sottili, 2 x 1,8 mm, G3 (2) |
| TLR333022 | Shock Piston 2.3mm 2x1.5mm G3 | Stoßdämpferkolben 2,3 mm 2 x 1,5 mm G3 | Piston d'amortisseur 2,3 mm 2x1,5 mm G3 | Pistone amm 2,3 mm 2x1,5 mm G3 |
| TLR333023 | Shock Piston 2.3mm 2x1.6mm G3 | Stoßdämpferkolben 2,3 mm 2 x 1,6 mm G3 | Piston d'amortisseur 2,3 mm 2x1,6 mm G3 | Pistone amm 2,3 mm 2x1,6 mm G3 |
| TLR333024 | Shock Piston 2.3mm 2x1.7mm G3 | Stoßdämpferkolben 2,3 mm 2 x 1,7 mm G3 | Piston d'amortisseur 2,3 mm 2x1,7 mm G3 | Pistone amm 2,3 mm 2x1,7 mm G3 |
| TLR333025 | Shock Piston 2.3mm 2x1.8mm G3 | Stoßdämpferkolben 2,3 mm 2 x 1,8 mm G3 | Piston d'amortisseur 2,3 mm 2x1,8 mm G3 | Pistone amm 2,3 mm 2x1,8 mm G3 |
| TLR334078 | VHA Hub Set, Aluminum: 22X-4 | VHA Nabensatz, Aluminium: 22X-4 | Ensemble de moyeux VHA, aluminium : 22X-4 | Kit mozzo VHA, alluminio: 22X-4 |
| TLR336001 | 4mm Aluminum Serrated Lock Nuts, Blue (6) | 4mm Aluminium Stopmutter mit Flansch Blau (6). | Ecrou auto-freiné épaulé M4, aluminium, bleu (6) | Dado autobloccante 4mm dentellato, blu (6) |
| TLR336002 | TLR 22 Series Hardware Box, Metric: 22/T/SCT/22-4 | TLR22 Serie Kleinteilebox Metrisch: 22/T/SCT/22-4 | 22/T/SCT/22 -4 - Boite de visserie métrique pour TLR 22 | TLR22 Set Hardware Metrico 22/T/SCT/22-4 |
| TLR43021 | Front Wheel, Yellow (2): 22X-4 | Vorderad Gelb (2): 22X-4 | 22X-4 - Jantes avant jaunes (2) | Ruota anteriore, gialla (2): 22X-4 |
| TLR43022 | Front Wheel, White (2): 22X-4 | Vorderad Weiss (2): 22X-4 | 22X-4 - Jantes arrière blanches (2) | Ruota anteriore, bianca (2): 22X-4 |
| TLR5279 | Silicone Diff Fluid, 3000CS | Differential-Silikonflüssigkeit, 3000CS | Liquide silicone pour différentiel, 3000CS | Olio al silicone per differenziale, 3000CS |
| TLR5280 | Silicone Diff Fluid, 5000CS | Differential-Silikonflüssigkeit, 5000CS | Liquide silicone pour différentiel, 5000CS | Olio al silicone per differenziale, 5000CS |
| TLR5281 | Silicone Diff Fluid, 7000CS | Differential-Silikonflüssigkeit, 7000CS | Liquide silicone pour différentiel, 7000CS | Olio al silicone per differenziale, 7000CS |
| TLR5282 | Silicone Diff Fluid, 10,000CS | Differential-Silikonflüssigkeit, 10.000CS | Liquide silicone pour différentiel, 10,000CS | Olio al silicone per differenziale, 10.000CS |
| TLR5283 | Silicone Diff Fluid, 15,000CS | Differential-Silikonflüssigkeit, 15.000CS | Liquide silicone pour différentiel, 15,000CS | Olio al silicone per differenziale, 15.000CS |
| TLR5284 | Silicone Diff Fluid, 20,000CS | Differential-Silikonflüssigkeit, 20.000CS | Liquide silicone pour différentiel, 20,000CS | Olio al silicone per differenziale, 20.000CS |
| TLR5285 | Silicone Diff Fluid, 30,000CS | Differential-Silikonflüssigkeit, 30.000CS | Liquide silicone pour différentiel, 30,000CS | Olio al silicone per differenziale, 30.000CS |
| TLR5288 | Silicone Differential Fluid, 125,000CS | Differential-Silikonflüssigkeit, 125.000CS | Liquide silicone pour différentiel, 125,000CS | Olio al silicone per differenziale, 125.000CS |
| TLR6030 | Titanium Ball Stud, 4.8 x 6mm (2) | Titan Kugelköpfe, 4.8 x 6mm (2) | Rotule en titane, 4,8 x 6mm (2) | Perno sferico, titanio, 4.8 x 6mm (2) |

OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

| Part # | English | Deutsch | Français | Italiano |
|----------|--|--|---|---|
| TLR6031 | Titanium Ball Stud, 4.8 x 8mm (2)22/22T | Titan Kugelköpfe, 4.8 x 8mm (2) | Rotule en titane, 4,8 x 8mm (2) | Perno sferico, titanio, 4.8 x 8mm (2) |
| TLR6032 | Titanium Ball Stud, 4.8 x 10mm (2)22/22T | Titan Kugelköpfe, 4.8 x 10mm (2) | Rotule en titane, 4,8x10mm (2) | Perno sferico, titanio, 4.8 x 10mm (2) |
| TLR70007 | TLR Team Foam Pit Mat | Team Schaumstoffmatte | Pit mat en mousse TLR Team | Pozzo schiumato TLR Team opaco |
| TLR7100 | Rear Wheel, White (2): 22 | Felge hinten, Weiss (2) | Jante arrière blanc (2) | Ruota posteriore, bianca (2) |
| TLR7101 | Rear Wheel, Yellow (2): 22 | Felge hinten, Gelb (2) | Jante arrière jaune (2) | Ruota posteriore, gialla (2) |
| TLR72000 | Ball cup wrench, 4.8mm, 22/T/SCT | Kugelkopf Inbus 4.8mm | Clé pour rotules 4.8mm | Chiave per attacco a sfera, 4.8mm |
| TLR74006 | Silicone Shock oil, 30wt, 2oz | Silikon Stoßdämpfer Öl, 30wt, 2oz | Huile silicone d'amortisseur, 30wt, 60 ml | Olio silicone ammortizzatore, 30wt, 2oz |
| TLR74007 | Silicone Shock Oil, 32.5 wt, 2 oz | Silikonstoßdämpferöl, 32,5wt, 2 oz | Huile silicone d'amortisseur, 32,5wt, 60 ml | Olio silicone ammortizzatori, 32.5wt, 2oz |
| TLR74008 | Silicone Shock Oil, 35 wt, 2 oz | Silikonstoßdämpferöl, 35wt, 2 oz | Huile silicone d'amortisseur, 35wt, 60 ml | Olio silicone ammortizzatori, 35wt, 2oz |
| TLR74009 | Silicone Shock Oil, 37.5 wt, 2 oz | Silikonstoßdämpferöl, 37.5wt, 2 oz | Huile silicone d'amortisseur, 37.5wt, 60 ml | Olio silicone ammortizzatori, 37.5wt, 2oz |
| TLR74010 | Silicone Shock Oil, 40 wt, 2 oz | Silikonstoßdämpferöl, 40wt, 2 oz | Huile silicone d'amortisseur, 40wt, 60 ml | Olio silicone ammortizzatori, 40wt, 2oz |
| TLR74011 | Silicone Shock Oil, 42.5 wt, 2 oz | Silikonstoßdämpferöl, 42.5wt, 2 oz | Huile silicone d'amortisseur, 42.5wt, 60 ml | Olio silicone ammortizzatori, 42.5wt, 2oz |
| TLR74012 | Silicone Shock Oil, 45 wt, 2 oz | Stoßdämpfer-Silikonöl, 45 wt, 59 ml (2oz) | Huile de silicone pour amortisseur, 45 wt, 2 onces. | Olio al silicone per ammortizzatore, 45 wt, 60 ml |
| TLR74013 | Silicone Shock Oil, 50 wt, 2 oz | Stoßdämpfer-Silikonöl, 50 wt, 59 ml (2oz) | Huile de silicone pour amortisseur, 50 wt, 2 onces. | Olio al silicone per ammortizzatore, 50 wt, 60 ml |
| TLR74031 | Silicone Shock Oil, 47.5 wt, 2 oz | Stoßdämpfer-Silikonöl, 47,5 wt, 59 ml (2oz) | Huile de silicone pour amortisseur, 47,5 wt, 2 onces. | Olio al silicone per ammortizzatore, 47,5 wt, 60 ml |
| TLR75001 | Silicone Diff Fluid, 40,000CS | Differential-Silikonflüssigkeit, 40,000CS | Liquide silicone pour différentiel, 40,000CS | Olio al silicone per differenziale, 40.000CS |
| TLR75005 | Silicone Diff Fluid, 12,500CS | Differential-Silikonflüssigkeit, 12,500CS | Liquide silicone pour différentiel, 12,500CS | Olio al silicone per differenziale, 12.500CS |
| TLR75006 | Silicone Diff Fluid, 4,000CS | Differential-Silikonflüssigkeit, 4,000CS | Liquide silicone pour différentiel, 4,000CS | Olio al silicone per differenziale, 4.000CS |
| TLR75007 | Silicone Diff Fluid, 6,000CS | Differential-Silikonflüssigkeit, 6,000CS | Liquide silicone pour différentiel, 6,000CS | Olio al silicone per differenziale, 6.000CS |
| TLR75008 | Silicone Diff Fluid, 200,000CS | Differential-Silikonflüssigkeit, 200,000CS | Liquide silicone pour différentiel, 200,000CS | Olio al silicone per differenziale, 200.000CS |
| TLR76006 | Tire Glue, 1oz, THIN | Reifenklebemittel, Dünn | Colle de pneu, fine | Colla pneumatici, fine |
| TLR76007 | Tire Glue, 1oz, STANDARD | Reifenklebemittel, Standard | Colle de pneu, standard | Colla pneumatici, standard |
| TLR77002 | Shock O-ring Grease, 8cc | Fett 8cc O-Ring | Graisse pour joints toriques d'amortisseurs, 8cc | Grasso o-ring ammort, 8cc |
| TLR77003 | Gold Grease, 10g | Marine Grease (Schmierfett) 10 g | Graisse dorée, 10 g. | Gold Grease, 10g |
| TLR99102 | Turnbuckle Wrench, 22,8B, 8T | Stellschlüssel für Gewindestift, 3.5, 4, 5mm | Clé à biellettes 3.5mm, 4mm, 5mm | Chiave per tenditore |